



47.1 inch Stretched Bar LCD advertising display


Model No. : CD471U3Z-001

I . Technical Specifications

Product Features	High Definition: Full-view LCD panel with ultra-high resolution.	
	Design: Ultra-slim chassis and super-narrow bezels on all four sides.	
	Performance: Convection-based internal cooling for reliable 24/7 heavy-load operation.	
	System: High-performance Android Motherboard; optional multi-function CMS software.	
	Versatility: Multiple sizes and shapes for any scenario.	
Display Specifications	Panel Size	47.1 inch
	Active area(mm)	1196.16(H)*49.84(V) mm
	Resolution	3840*160
	Aspect Ratio	24:1
	Refresh Rate	60HZ
	Color	16.7M
	Brightness	500 nits
	Contrast ratio	1000: 1
	Response time	8 ms
	Viewing angle	178° /178°
	Life	30000 hours
	LED backlight	ELED
System Parameters	Motherboard	T972 (optional)
	CPU	Cortex-A55 *4, 1.9Ghz
	GPU	ARM Mali-G31
	OS	Android 9.0
	RAM/ROM	2+16 G (Upgradeable)
	Network	WIFI (802.11b/g/n)
	Sound	without
	I/O	1*micro USB(OTG), 1*USB2.0, 1*TFcard, 1*Type-c(DC 12V Power)
	Standby power	0.5W
	Maximum power	30W
	CMS (optional)	It supports functions such as mixed video and image editing, template management, scheduled power on/off, permission management, log query, and more.
Structural Parameters	Device dimensions	1214.8*68.8*25mm
	Product Dimensions	1300*380*150 mm (5 pieces per carton)
	N. W	3kg
	G. W	17.6kg (5pcs)
	Installation Type	Wall Mounting
	Operating	Temperature - 0℃~55℃/Humidity 10%RH~80%RH

	Environment	
	Storage Environment	Temperature - 5℃~60℃/Humidity 10%RH~80%RH
	Accessories	Power cable、Quality certificate、Warranty card、Wall mount

II . Product Rendering



III. Dimension Drawing

